

SAFETY DATA SHEET

Colloidal Silica Suspension 50 nm Alkaline

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

▼Trade name

Colloidal Silica Suspension 50 nm Alkaline

Product no.

48161015, 48161017 (1020, 1030, 1035)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Final polishing of metallographic samples.

Uses advised against

No special

1.3. Details of the supplier of the safety data sheet

Company and address

Akasel A/S

Svogerslev Hovedgade 48

4000 Roskilde

Denmark

+45 57 84 05 01

www.akasel.com

E-mail

safety@akasel.com

SDS date

28-09-2021

SDS Version

3.0

Date of previous version

2020-11-25 (2.1)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

2.2. Label elements

Hazard pictogram(s)

Not applicable

Signal word

Not applicable

Hazard statement(s)

Not applicable

Safety statement(s)

General

Prevention

reventi



Response

-

Storage

Disposal

Hazardous substances

No special

2.3. Other hazards

▼Additional labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

▼3.2 Mixtures

Product/substance Identifiers % w/w Classification Note Silicon dioxide; synthetic amorphous silicon dioxide					
amorphous silicon dioxide EC No.: 231-545-4 REACH: Index No.: Propane-1,2-diol CAS No.: 57-55-6 EC No.: 200-338-0 REACH: 01-2119456809-23- xxxx	Product/substance	Identifiers	% w/w	Classification	Note
EC No.: 231-545-4 REACH: Index No.: Propane-1,2-diol CAS No.: 57-55-6 EC No.: 200-338-0 REACH: 01-2119456809-23- xxxx		CAS No.: 7631-86-9	40-60%		
Index No.: Propane-1,2-diol CAS No.: 57-55-6 EC No.: 200-338-0 REACH: 01-2119456809-23- xxxx		EC No.: 231-545-4			
Propane-1,2-diol CAS No.: 57-55-6 <15% EC No.: 200-338-0 REACH: 01-2119456809-23- xxxx		REACH:			
EC No.: 200-338-0 REACH: 01-2119456809-23- xxxx		Index No.:			
REACH: 01-2119456809-23- xxxx	Propane-1,2-diol	CAS No.: 57-55-6	<15%		
XXXX		EC No.: 200-338-0			
Index No.:					
		Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

No special

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

▼ Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) and continue until irritation stops.



Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

No special

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

▼5.1. Extinguishing media

No special

▼ 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

▼ 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

▼ 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

▼ 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

▼ 7.2. Conditions for safe storage, including any incompatibilities

No special conditions required.

▼ Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

5 - 50°C

Incompatible materials



Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020)

▼ DNEL

Product/substance Propane-1,2-diol DNEL 168mg/m3
Route of exposure Inhalation

Duration Long term – Systemic effects - Workers

Product/substance Propane-1,2-diol DNEL 10mg/m3
Route of exposure Inhalation

Duration Long term – Local effects - Workers

Product/substance Propane-1,2-diol DNEL 213mg/kg bw/dg

Route of exposure Dermal

Duration Long term – Systemic effects - General population

Product/substance Propane-1,2-diol DNEL 50mg/m3
Route of exposure Inhalation

Duration Long term – Systemic effects - General population

Product/substance Propane-1,2-diol DNEL 85 mg/m3
Route of exposure Oral

Duration Long term – Systemic effects - General population

Product/substance Propane-1,2-diol DNEL 10mg/m3
Route of exposure Inhalation

Duration Long term – Local effects - General population

▼ PNEC

Product/substance Propane-1,2-diol PNEC 260 mg/l Route of exposure Freshwater

Duration of Exposure

Product/substance Propane-1,2-diol



PNEC 26mg/l Route of exposure Marine water **Duration of Exposure** Product/substance Propane-1,2-diol **PNEC** 183mg/l Route of exposure Intermittent release **Duration of Exposure** Product/substance Propane-1,2-diol **PNEC** 572 mg/kg d.w Freshwater sediment Route of exposure **Duration of Exposure** Product/substance Propane-1,2-diol **PNEC** 50mg/kg d.w Soil Route of exposure **Duration of Exposure** Product/substance Propane-1,2-diol **PNEC** 2000mg/l Route of exposure **Activated Sludge Plant Duration of Exposure** Product/substance Propane-1,2-diol **PNEC** 57.2mg/kg d.w Route of exposure Marine water sediment **Duration of Exposure**

▼ 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

▼ General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

▼ Hygiene measures

Wash hands after use.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is	-	-	-



Туре	Class	Colour	Standards	
not needed in the event of adequate ventilation				

Skin protection

Recommended	Type/Category	Standards
No specific requirements.	-	-

▼ Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.2	> 240	EN374-2, EN374-3, EN388	

▼ Eye protection

Work situation	Туре	Standards	
At risk of splashing in the eyes	Wear safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form

Liquid

Colour

White

Odour

None

Odour threshold (ppm)

Testing not relevant or not possible due to nature of the product.

рΗ

8,5-11

Density (g/cm³)

1,376-1,397

Viscosity

Testing not relevant or not possible due to nature of the product.

Phase changes

Melting point (°C)

Testing not relevant or not possible due to nature of the product.

Boiling point (°C)

100.00 °C

Vapour pressure

1725.00 mmHg

Vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

▼ Evaporation rate (n-butylacetate = 100)

Data on fire and explosion hazards



Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Explosion limits (% v/v)

Testing not relevant or not possible due to nature of the product.

Explosive properties

Testing not relevant or not possible due to nature of the product.

Oxidizing properties

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (q/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

▼ 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

▼ Acute toxicity

Product/substance P

Propane-1,2-diol

Test method

Species Rabbit
Route of exposure Dermal
Test LD50

Result >2000 mg/kg

Other information

Product/substance

Propane-1,2-diol

Test method

Species Guinea pig
Route of exposure Intraperitoneal

Test LD50



Result 9718 mg/kg

Other information

Product/substance Propane-1,2-diol

Test method

Species Rat Route of exposure Oral LD50 Test 6423 mg/kg Result

Other information

Product/substance

Propane-1,2-diol

Test method

Species Rabbit Route of exposure Oral LD50 Test Result 18500 mg/kg

Other information

Product/substance

Propane-1,2-diol

Test method

Rabbit **Species** Route of exposure Inhalation LC50 (2 hours) Test >317 mg/L Result

Other information

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation

Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met. STOT-repeated exposure

Based on available data, the classification criteria are not met. Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

No special

Other information

No special

SECTION 12: Ecological information



▼ 12.1. Toxicity

Product/substance

Propane-1,2-diol

Test method

Species Daphnia

Compartment

Duration 48 hours
Test EC50
Result 110 mg/L

Other information

Product/substance

Propane-1,2-diol

Test method

Species

Fish

Compartment

Duration 96 hours
Test LC50
Result 710 mg/L

Other information

Product/substance

Propane-1,2-diol

Test method

Species Algae

Compartment

Duration 96 hours
Test ErC50
Result 19000 mg/L

Other information

▼ 12.2. Persistence and degradability

Product/substance Propane-1,2-diol

Biodegradable Yes

Test method OECD 301 F Result 81,7 %

▼12.3. Bioaccumulative potential

Product/substance Propane-1,2-diol

Test method

Potential No

bioaccumulation

LogPow -0,7800 BCF 0.09

Other information

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

No special



SECTION 13: Disposal considerations

13.1. Waste treatment methods

EWC code

Not applicable

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

▼IMDG

Not applicable

"MARINE POLLUTANT"

No

▼IATA

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

Not applicable

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

Nο

SECTION 16: Other information

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway



ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable

The safety data sheet is validated by

iro@akasel.com

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en